

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Bindii & Clover Killer

Lawn Weeder



ACTIVE CONSTITUENTS:

97.8g/L MECOPROP present as the dimethylamine salt
23.1g/L MCPA present as the dimethylamine salt
11.7g/L DICAMBA present as the dimethylamine salt

**FOR CONTROL OF:
BROADLEAF WEEDS, CLOVER,
BINDII AND CREEPING OXALIS
IN DOMESTIC LAWNS**

Contents: 500mL

HOW TO PREPARE: Product can be applied with most garden sprayers. Avoid using fine droplets or applying product in windy conditions as this will increase spray drift. It is important to apply the recommended spray mixture when weeds are young and actively growing. When applying product ensure the amount of spray mixture used corresponds to the recommended area of lawn to be treated. If using a watering can, use the same amount of product in 4 times the volume of water stated in the table. Results may take time to become evident. Clean equipment thoroughly with ammonia or washing soda and rinse with several changes of water and detergent.

CAUTION: DO NOT allow spray to contact or drift onto plants you do not want killed. DO NOT apply within the drip line of shallow rooted trees or shrubs or apply product in areas where chemical may be washed into contact with the roots of desirable plants. DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds. DO NOT feed grass clippings from treated areas to poultry or other animals. DO NOT use spray equipment for applying other materials to sensitive plants after using this product. If such use is unavoidable, clean equipment thoroughly with ammonia or washing soda and rinse with several changes of water and detergent.

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Established lawns (except Buffalo grass)	Bindii, Cotsear, Chickweed, Clovers, Cobblers Pegs, Creeping Oxalis (not TAS)	Mix 15mL per 2L of water and spray over 10m ²	Spray weeds when young and vigorously growing. Re-spray if necessary in 10-14 days.
Newly sown lawns or newly laid turf	Dandelion, Fat Hen, Fumitory, Lamb's Tongue, Mallow, Periwort, Staggles Weed, Wire Weed.	Mix 10mL per 2L of water and spray over 10m ²	For new lawns do not apply until four weeks after the first mowing.

DO NOT USE FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.

STORAGE AND DISPOSAL:
Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS:
Poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, face shield or goggles. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes wash it out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:
If poisoning occurs, contact a doctor or poisons information centre (Phone 131126). If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

BATCH No.:
DOM:

NRA Approval No. 55447/0302

J.C. & A.T. Searle Pty. Ltd.
4914 D'Aguilar Highway,
KILCOY, QLD. 4515
www.searles.com.au