

STORAGE AND DISPOSAL:

Store in the closed original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, chemical resistant footwear and a face shield. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves, face shield and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or poisons information centre (Phone 131126). If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

J.C. & A.T. Searle Pty. Ltd.

4914 D'Aguiar Highway,
KILCOY, QLD. 4515
Phone: (07) 5497 2022
www.searles.com.au

NRA Approval No. 55449/0302

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Lawn Perfect™

Lawn Weeder



ACTIVE CONSTITUENTS:

326g/L MECOPROP present as the dimethylamine salt
77g/L MCPA present as the dimethylamine salt
39g/L DICAMBA present as the dimethylamine salt

**FOR CONTROL OF
BROADLEAF WEEDS, CLOVER,
BINDII AND CREEPING OXALIS
IN DOMESTIC LAWNS**

Contents: 500mL

HOW TO PREPARE: Product can be applied with most garden sprayers. For more effective weeding, add wetting agent to final solution. Avoid using fine droplets or applying product in mixture conditions as this will increase spray drift. It is important to apply the recommended spray mixture when weeds are young and actively growing. When applying product ensure the amount of spray mixture used corresponds to the recommended area of lawn to be treated. If using a watering can, use the same amount of product in 4 times the volume of water, stated in the table. Results may take time to become evident. Clean spray equipment thoroughly with ammonia or washing soda and rinse with several changes of water and detergent.

CAUTION: DO NOT allow spray to contact other plants that you do not want killed. DO NOT apply within the drip line of shallow rooted trees or shrubs or apply product in areas where chemical may be washed into contact with the roots of desirable plants. DO NOT allow chemical from treated areas to poultry or other animals. DO NOT use spray equipment for applying other materials to sensitive plants after using this product. If such use is unavoidable, clean equipment thoroughly with ammonia or washing soda and rinse with several changes of water and detergent.

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Established lawns (except Buffalo grass)	Bindii, Catsear, Chickweed, Clovers, Cobblers Pegs, Creeping Oxalis (not TAS)	Mix 5mL per 2L of water and spray over 10m ²	Spray weeds when young and vigorously growing. Re-spray if necessary in 10-14 days.
Newly sown lawns or newly laid turf	Dandelion, Fat Hen, Fumitory, Lamb's Tongue, Mallow, Periwort, Stogger Weed, Wire Weed.	Mix 3mL per 2L of water and spray over 10m ²	For new lawns do not apply until four weeks after the first mowing.

HOW TO USE • DO NOT apply to buffalo grass. • DO NOT apply if rain is expected within 24 hours. • DO NOT mow turf for 2 days before or after treatment. • DO NOT apply during windy conditions.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.