

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Lawnweeder

Selective Weed Killer



ACTIVE CONSTITUENTS:

192g/L BENTAZONE present as the sodium salt
112g/L MCPA present as dimethylamine salt
19g/L DICAMBA present as dimethylamine salt

**FOR CONTROL OF
MULLUMBIMBY COUCH, AND
BROADLEAF WEEDS IN
DOMESTIC LAWNS AND TURF**

Contents: 500mL

HOW TO USE • DO NOT mow turf for 3 days before or after spray application. • DO NOT apply if rain is expected within 8 hours.
• DO NOT apply to plants suffering from stress. • DO NOT apply during windy conditions, as this will increase spray drift.

SITUATION	WEEDS CONTROLLED	RATE	HOW TO APPLY
Lawns & Turf (except Lippia, Strawberry Clover or Sallene (Paspalum notatum) Lawns).	Bindii, Clover, Chickweed, Creeping Oxalis (not TASI), Cudweed, Dock, Dandelions, Fleaweed, Fleabane, Lamb's Tongue, Mulla-mulla, Mullumbimby Couch.	COVER SPRAY Mix 20mL per 2L of water and spray over 10m ² SPOT SPRAY Mix 60mL in 10L of water and wet weeds thoroughly.	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering, when soil is moist. Thoroughly wet foliage but avoid excessive run off. For effective control of Mullumbimby Couch spray in warmer months (November and December) when weed is actively growing. Respray any remaining weeds in 3-4 weeks. To avoid damage to lawns, do not exceed recommended rates or spray intervals.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL
UNLESS AUTHORISED.**

HOW TO PREPARE: Product can be applied with most Garden Sprayers. Avoid using fine droplets as this will increase spray drift. Fill sprayer with water and add chemical last. For more effective wetting, add wetting agent to final solution. Weeds are killed by absorbable through the leaf and root system of susceptible plants. It is important to apply the recommended spray mixture when the weeds are young and actively growing and soil moist. Results may take time to become evident. If necessary, re-spray, allow an interval of 3-4 weeks.
CAUTION: DO NOT allow spray to contact other plants that you do not want killed. DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds. DO NOT feed lawn or grass clippings from treated areas to poultry, animals.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Harmful if absorbed by skin contact or inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone 131126)

NRA Approval No. 55445/0302

J.C. & A.T. Searle Pty. Ltd.
4914 D'Aguiar Highway,
KILCOY, QLD. 4515
www.searles.com.au